

ShowerTablet Select

Thermostat 700 universal for exposed installation for 2 functions

Finish: **Chrome** Article Number: **13184000**



Description

product features

- 2 functions
- simultaneous utilization of 2 functions
- Select push-button on/off control for 2 outlets
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- Start/stop valve to operate the functions, thermostat cartridge
- maximum flow rate at 3 bar: 28 l/min
- flow rate upper outlet: 28 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- control of an external shower or bath tub filler via concealed connection G ½ possible
- safety stop at 40 °C
- temperature limitation adjustable
- with isolated water conduction
- non-return valve
- with silencer
- shelf made of safety glass
- surface shelf: mirror glass
- material handles: metal
- centre distance: 150 mm
- connection dimension: DN15
- connection type: adjustable connection, G ½
- dirt filter included
- thermostat is delivered with buttons Rain large and hand shower

Article Details

Price excl. VAT

1.441,67 £

Technology




ShowerTablet Select
Thermostat 700 universal for exposed installation for 2 functions
 Finish: **Chrome** Article Number: **13184000**




Product image



Scale drawing



Flowchart





ShowerTablet Select

Thermostat 700 universal for exposed installation for 2 functions

Finish: **Chrome** Article Number: **13184000**



Installation examples



ShowerTablet Select


Thermostat 700 universal for exposed installation for 2 functions

Finish: **Chrome** Article Number: **13184000**



Exploded Drawing

Year of production: >07/15



ShowerTablet Select**Thermostat 700 universal for exposed installation for 2 functions**Finish: **Chrome** Article Number: **13184000****Spare part list**

Year of production: >07/15

| Pos. | Description | Article Number | Price | PU |
|------|---|----------------|----------|----|
| 1 | shelf | 92725000 | £ 173,00 | 1 |
| 2 | hose connection angel | 25948000 | £ 51,00 | 1 |
| 3 | filter | 97973000 | £ 16,10 | 1 |
| 4 | non return valve (pressure-resistant up to 2 MPa) | 92594000 | £ 16,10 | 1 |
| 5 | O-ring 17x2,5 | 98387000 | £ 3,30 | 1 |
| 6 | connection hose 650 mm G1/2 | 92676000 | £ 96,00 | 1 |
| 7 | O-ring 11x2 | 98127000 | £ 3,30 | 1 |
| 8 | decorative strip | 93430000 | £ 96,00 | 1 |
| 9 | connecting thread | 97719000 | £ 20,50 | 1 |
| 10 | handle for thermostat | 92673000 | £ 79,00 | 1 |
| 11 | safety set | 92675000 | £ 79,00 | 1 |
| 12 | handle fixing set | 92136000 | £ 20,50 | 1 |
| 13 | thermostat cartridge | 96633000 | £ 137,00 | 1 |
| 14 | set of symbols | 98367000 | £ 51,00 | 1 |
| 15 | O-ring 20x1 | 98140000 | £ 3,30 | 1 |
| 16 | spring with sleeve | 92340000 | £ 13,30 | 1 |
| 17 | shut off unit | 95758000 | £ 110,00 | 1 |
| 18 | nut | 98368000 | £ 13,30 | 1 |
| 19 | O-ring 14x2 | 98129000 | £ 3,30 | 1 |
| 20 | non return valve | 97980000 | £ 16,10 | 1 |
| 21 | hose clamp 15,7-18,5 | 97551000 | £ 25,00 | 1 |