

Basic set for 2-hole rim mounted thermostatic bath mixer

Finish: n.a. Article Number: 15486180



product features

- suitable for remote spout
- connection thread: G 1/2
- connection dimension: DN15
- flow rate upper outlet: 31 l/min
- flow rate lower outlet: 31 l/min

Article Details

Price excl. VAT

975,00 £


Certificates / Sustainability




Product image



Scale drawing



Flowchart




Basic set for 2-hole rim mounted thermostatic bath mixer
Finish: n.a. Article Number: 15486180



Exploded Drawing

Year of production: >10/17



Basic set for 2-hole rim mounted thermostatic bath mixer

Finish: n.a. Article Number: 15486180



Spare part list

Year of production: >10/17

Pos.		Article Number	Price	PU
1	adapter for handle	97108000	£ 20,50	1
2	hexagon socket screw M4x35	92160000	£ 3,30	1
3	safety set for temperature control	96626000	£ 35,00	1
4	thermostat cartridge	94282000	£ 137,00	1
5	sealing set	95037000	£ 51,00	1
6	O-ring 41x1,5	98168000	£ 3,30	1
7	service set	95183000	£ 20,50	1
8	O-ring 57x2	98210000	£ 3,30	1
9	O-ring 47x2	98392000	£ 3,30	1
10	set of non return valves DW 15	94074000	£ 16,10	1
11	connection hose 600 mm G½ x G½	25928000	£ 51,00	1
12	hexagon socket screw M6x60	97785000	£ 3,30	1
13	handle fixing set	94184000	£ 6,10	1
14	nut	97550000	£ 16,10	1
15	diverter unit	92371000	£ 64,00	1
16	fixing set	96926000	£ 79,00	1