

Ecostat E
Shower thermostat 150cc for exposed installation Nordic
 Finish: **Chrome** Article Number: **15784000**



Description

product features

- 1 function
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- EcoStop button limits the water consumption to 9 l/min
- thermostat cartridge
- maximum flow rate at 3 bar: 15,4 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- Safety stop at 40 °C
- temperature limitation adjustable
- non-return valve
- with silencer
- suitable for continuous flow water heaters
- material handles: metal
- centre distance: 150 ± 12 mm
- connection dimension: G ½
- connection type: s-shaped connections
- dirt filter included

Technology




Certificates / Sustainability



Product image




Scale drawing



Ecostat E
Shower thermostat 150cc for exposed installation Nordic
 Finish: **Chrome** Article Number: **15784000**



Flowchart




www.divapor.com

Ecostat E
Shower thermostat 150cc for exposed installation Nordic
 Finish: **Chrome** Article Number: **15784000**



Exploded Drawing

Year of production: >04/19



Ecostat E
Shower thermostat 150cc for exposed installation Nordic
 Finish: **Chrome** Article Number: **15784000**



Spare part list

Year of production: >04/19

Pos.	Description	Article Number	Price	PU
1	handle	93520000	£ 96,00	1
2	pushbutton	92848000	£ 6,10	1
3	handle fixing set	93228000	£ 9,00	1
4	safety set	93519000	£ 3,30	1
5	nut	98913000	£ 20,50	1
6	shut off unit	95800000	£ 64,00	1
7	thermostat cartridge	98282000	£ 110,00	1
8	cartridge for exchanged connections	92373000	£ 275,00	1
9	connecting thread	95392000	£ 20,50	1
10	O-ring 14x2	98129000	£ 3,30	1
11	set of unions	94285000	£ 67,00	1
12	set of nuts	96157000	£ 35,00	1
13	non return valve (pressure-resistant up to 2 MPa)	93136000	£ 35,00	1
14	non return valve	96737000	£ 35,00	1
15	O-ring 17x1,5	98137000	£ 3,30	1
16	flow limiter	97510000	£ 13,30	1
17	filter packing	96922000	£ 9,00	1