

Ecostat E
Bath thermostat 160cc for exposed installation Sweden
 Finish: **Chrome** Article Number: **15794000**



Description

product features

- 2 functions
- CoolContact thermostat: Prevents the housing from heating up, making showering even safer
- EcoStop button limits the water consumption to 9 l/min
- maximum flow rate at 3 bar: 18,5 l/min
- flow rate for bath spout at 3 bar: 18,5 l/min
- flow rate of hand shower at 3 bar: 15,3 l/min
- flow rate hand shower connection at 3 bar: 15 l/min
- min. operating pressure: 1 bar
- max. operating pressure: 10 bar
- Safety stop at 40 °C
- temperature limitation adjustable
- non-return valve
- protected against backflow, according to DIN EN 1717
- with silencer
- material handles: metal
- connection dimension: DN15
- connection type: s-shaped connections
- centre distance: 160 mm
- dirt filter included

Technology




Certificates / Sustainability



Product image




Scale drawing



Ecostat E
Bath thermostat 160cc for exposed installation Sweden
 Finish: **Chrome** Article Number: **15794000**



Flowchart




Ecostat E
Bath thermostat 160cc for exposed installation Sweden
 Finish: **Chrome** Article Number: **15794000**



Exploded Drawing

Year of production: >05/19



Ecostat E**Bath thermostat 160cc for exposed installation Sweden**Finish: **Chrome** Article Number: **15794000****Spare part list**

Year of production: >05/19

Pos.	Description	Article Number	Price	PU
1	handle	93521000	£ 79,00	1
2	handle fixing set	93228000	£ 9,00	1
3	safety set	93519000	£ 3,30	1
4	nut	98913000	£ 20,50	1
5	shut off unit with selector	98283000	£ 79,00	1
6	seal	95008000	£ 9,00	1
7	aerator M24x1 (38 l/min)	95871000	£ 20,50	1
8	connecting thread	95392000	£ 20,50	1
9	O-ring 14x2	98129000	£ 3,30	1
10	handle	93520000	£ 96,00	1
11	thermostat cartridge	98282000	£ 110,00	1
12	connecting thread	95835000	£ 79,00	1
13	non return valve	96737000	£ 35,00	1
14	O-ring 17x1,5	98137000	£ 3,30	1
15	O-ring 9x1	98213000	£ 3,30	1
16	filter	97367000	£ 9,00	1