




 **GODKENDT
TIL DRIKKEVAND**



vola®




5 705230 286211

©



PEX1



VR968

A

l/min.	Gal/min.
18,3	4.8
15,6	4.1
25,2	6.7
22,2	5.9

Max. 65°C, 150°F


Max. 65°C, 150°F

Max.: 10 Bar/145 psi

B



**!DO NOT!
!REMOVE!**



VR1260

VR2260

The diagram shows a cross-section of a standard extension cord. It is divided into three main sections: a blue standard section on the left, a yellow extension section in the middle, and a red section on the right. The yellow section is labeled 'EXTENSION' and has markings for +10, +20, +30, +40, and +50 feet. The red section is labeled 'DO NOT REMOVE' and contains a warning symbol. A dimension line labeled 'Y' indicates the total length of the extension cord. A ruler at the bottom shows the length in feet, from 1 to 10.


X_{52 - 0 mm}

X_{-15 - 0 mm}

	X	VR1260 + VR1400 + VR2019
	40 - 52 mm	Std.
	30 - 40 mm	+10
	20 - 30 mm	+20
	10 - 20 mm	+30
	0 - 10 mm	+40
	-10 - 0 mm	+50


Fitting of extension
Montage von verlängerung
Montering af forlængerdele

Montering av förlängning
Montage van de verlengstukken
Montage des rallonges



2x13 mm Lightweight wall
Leichtwand
Let væg




Lätta konstruktion
Holle wandconstructie
Construction légère



1x15 mm
1x18 mm
1x20 mm

Lightweight wall
Leichtwand
Let væg

Lätta konstruktion
Holle wandconstructie
Construction légère









2


Test Pressure
Prüfdruck
testtryk
Test tryk
Test druk
test de pression

Check the local legislation.
Bitte die örtlichen Vorschriften überprüfen.
Tjek de lokale regler.
Kontrollera lokala föreskrifter.
Nazitten lokale regelgeving.
Vérifiez la législation locale.

! Water - Wasser - Vand - Vatten - Water - L'eau !
! MAX 1 Minute - Minut - Minuut !




100




NR28: VR20, VR22, VR269, VR273, VR295, VR388, VR3279, VR3279B, VR3279C
 VR277K: VR22, VR269, VR277
 VR1260: VR1259, VR1260, VR2251


100





100X




200V




300



3002




3003K



3003


-



3002



3001, 001




3001, 001



3001



3001, 001




vola
 Lunavej 2
 DK-8700 Horsens
 Tlf : + 45 7023 5500
 sales@vola.com
 www.vola.com

VOLA 100
 100X, 200V, 300


Date
 May. 22

Rev.
 7

Sheet
 SB 1.2



VR1020K: VR20A, VR22, VR1020, VR1022
 VR2019: VR20A, VR22, VR1019, VR1020, VR1022



volal
 Lunavej 2
 DK-8700 Horsens
 Tlf : + 45 7023 5500
 sales@volal.com
 www.volal.com

**VOLA 070, 070R
 070-HT2**

Date
 Apr. 21

Rev.
 5

Sheet
 SB 16