




 **GODKENDT
TIL DRIKKEVAND**



vola®




©



200M

PEX1





VR968





l/min.	Gal/min.
18,3	4.8
15,6	4.1
25,2	6.7
22,2	5.9

Max. 65°C, 150°F



**!DO NOT!
!REMOVE!**



The diagram shows a cross-section of a standard extension cord. It is divided into three main sections: a blue standard section on the left, a yellow extension section in the middle, and a red section on the right. The yellow section is labeled 'EXTENSION' and has markings for +10, +20, +30, +40, and +50 feet. The red section is labeled 'DO NOT REMOVE' and contains a warning symbol. A dimension line labeled 'Y' indicates the length of the yellow extension section. Below the cord, a ruler is shown with markings from 1 to 10 feet.


X₅₂ - 0 mm

	X	VR1260 + VR1400 + VR2019
	40 - 52 mm	Std.
	30 - 40 mm	+10
	20 - 30 mm	+20
	10 - 20 mm	+30
	0 - 10 mm	+40
	-10 - 0 mm	+50

	X	VR2260 + VR1400 + VR2019
	35 - 47 mm	Std.
	25 - 35 mm	+10
	15 - 25 mm	+20
	5 - 15 mm	+30
	-5 - 5 mm	+40
	-15 - -5 mm	+50





Montering av förlängning
Montage van de verlengstukken
Montage des rallonges

VR2260+




400-2400







T4




T5




T6




T7




T11




T16




T14




T8




T9




T3



T27



VOLA T3, T4, T5, T6, T7, T8, T9, T11, T14, T16, T27




vola


www.vola.com

mnt_T3-T27_V3_40999247
01-04-2022


T4, T5, T6, T7, T11, T16, T27




T8, T9, T14



T3




100




NR28: VR20, VR22, VR269, VR273, VR295, VR388, VR3279, VR3279B, VR3279C
 VR277K: VR22, VR269, VR277
 VR1260: VR1259, VR1260, VR2251


100





100X




200V




300



3002




3003K




3003


-



3002




3001, 001




3001, 001



3001



3001, 001



vola


Lunavej 2
 DK-8700 Horsens
 Tlf : + 45 7023 5500
 sales@vola.com
 www.vola.com

VOLA 100
 100X, 200V, 300


Date
 May. 22

Rev.
 7

Sheet
 SB 1.2



VR1020K: VR20A, VR22, VR1020, VR1022
 VR2019: VR20A, VR22, VR1019, VR1020, VR1022



vola
 Lunavej 2
 DK-8700 Horsens
 Tlf : + 45 7023 5500
 sales@vola.com
 www.vola.com

**VOLA 070, 070R
 070-HT2**

Date
 Apr. 21

Rev.
 5

Sheet
 SB 16

001G

797

715

790

21

10



vola

Lunavej 2
DK-8700 Horsens
Tlf : + 45 7023 5500
sales@vola.com
www.vola.com

VOLA T9

Date
Apr. 21

Rev.
1

Sheet
SB 41