

Focus

Electronic basin mixer with temperature pre-adjustment mains connection 230 V

Finish: **Chrome** Article Number: **31174007**



Description

product features

- ComfortZone 130
- projection: 127 mm
- spray type: normal spray
- maximum flow rate at 3 bar: 5 l/min
- temperature limitation adjustable
- temperature pre-adjustable
- suitable for continuous flow water heaters
- infrared sensor technology
- automatic environmental adjustment of infrared sensor
- adjustable optical range of infrared sensor (2 settings)
- 230 V / 50 Hz mains connection
- running time: 10 s
- hygiene rinse activatable (automatic water flow)
- frequency of hygiene rinse: 24 h
- flushing time hygiene rinse: 10 s
- permanent rinse activatable (single water flow for 180 seconds, suitable for thermal disinfection)
- cleaning mode: manual water stop for washbasin cleaning
- connection dimension: DN15
- TÜV certified
- dirt filters in the connection hoses


Technology



Product image



Scale drawing




Focus

Electronic basin mixer with temperature pre-adjustment mains connection 230 V

Finish: **Chrome** Article Number: **31174007**



Flowchart



www.divapor.com

Focus


Electronic basin mixer with temperature pre-adjustment mains connection 230 V

Finish: **Chrome** Article Number: **31174007**



Exploded Drawing

Year of production: >06/18



Focus**Electronic basin mixer with temperature pre-adjustment mains connection 230 V**Finish: **Chrome** Article Number: **31174007****Spare part list**

Year of production: >06/18

Pos.	Description	Article Number	Price	PU
1	mixer-hood	92310000	-	1
2	aerator M24x1 (5 l/min)	98802000	-	1
3	service tool	98808000	-	1
4	non return valve DW 10	96456000	-	1
5	O-ring 18x1,5	98231000	-	1
6	O-ring 7x1,5	98422000	-	1
7	O-ring 17x2	98199000	-	1
8	solenoid valve	95654000	-	1
9	O-ring 41x2	98212000	-	1
10	O-ring 6x2	98458000	-	1
11	O-ring 5x2	98215000	-	1
12	electronics	92346000	-	1
13	transformer	98800000	-	1
14	flat seal	98749000	-	1
15	fixing set (Ø 32)	13961000	-	1
16	lever collar	97548000	-	1
17	connection hose 450 mm	92345000	-	1
18	back flow preventor cartridge with microfilter	92297000	-	1
19	sealing set	95581000	-	1
20	screw	93272000	-	1
a	fixation extension 35 mm	13898000	-	1