

VOLA 500, 590, 500T1
VOLA 2500
VOLA SC1, SC3, SC5, SC7, SC9, SC10, SC12

Fitting instruction
 Montageanleitung
 Monteringsvejledning
 Monteringsvægledning
 Montage hanleiding
 Manuel de montage

590:



GODKENDT
TIL DRIKKEVAND



www.vola.com

500 - 2500_V0_40998137
 01-01-2023








5 705230 492964

Data, 3 Bar /43.5 Psi:

	l/min.	Gal/min.
500:	14,5	3.8
590:	9,0	2.4
500-T1:	11,0	2.9
2500:	18,7	4.9
SC1:	18,7	4.9
SC5, 7:	18,0	4.8
SC9:	11,0	2.9

Max. 65°C, 150°F

500/2500:




5



6

090





6A


090

mm:	H	D	h
090	210	200	145
090A	110	85	40
090B	185	100	114
090C	185	100	114
090D	220	200	130
090E	170	200	65
090G	185	140	105
090H	265	220	155
090I	325	220	215
090V	355	145	270

Inches:	H	D	h
090	8 1/2"	8"	5 3/4"
090A	4 1/4"	3 1/2"	1 1/2"
090B	7"	4"	4 1/2"
090C	7"	4"	4 1/2"
090D	8 3/4"	8"	5"
090E	6 3/4"	8"	2 1/2"
090G	7"	5 1/2"	4"
090H	10 1/2"	8 5/8"	6"
090I	12 3/4"	8 5/8"	8 1/2"
090V	14"	5 3/4"	10 1/2"




6B



7


T1, T1S



7A

T1S

T1



VOLA 090, 090A, 090B:
VOLA 090C, 090D, 090E:
VOLA 090G, 090H, 090I, 090V:


1 - 4

VOLA 090FM:

5


Fitting instruction
Montageanleitung
Monteringsvejledning

Monteringsvægledning
Montage hanleiding
Manuel de montage





www.vola.com

mnt_090_V4_40999824
01-03-2023




mm:	Ø	H	D	h
090	19	210	200	145
090A	19	110	85	40
090B	19	185	100	114
090C	24	185	100	114
090D	24	220	200	130
090E	24	170	200	65
090G	19	185	140	105
090H	19	265	220	155
090I	19	325	220	215
090V	19	355	145	270


Inches:	Ø	H	D	h
090	3/4"	8 1/4"	8"	5 3/4"
090A	3/4"	4 1/4"	3 1/2"	1 1/2"
090B	3/4"	7"	4"	4 1/2"
090C	1"	7"	4"	4 1/2"
090D	1"	8 3/4"	8"	5"
090E	1"	6 3/4"	8"	2 1/2"
090G	3/4"	7"	5 1/2"	4"
090H	3/4"	10 1/2"	8 5/8"	6"
090I	3/4"	12 3/4"	8 5/8"	8 1/2"
090V	3/4"	14"	5 3/4"	10 1/2"




Ø19: (VR38)
090A



Ø19-40: (VR38A)
090A




Ø19: (VR38L)
090
090B
090G
090H
090I
090V




Ø19-40: (VR38)

090
090B
090G
090H
090I
090V




Ø24: (VR638)

090C
090D
090E





Ø24-40: (VR633)

090C
090D
090E






2







Fitting instruction
Montageanleitung
Monteringsvejledning
Monteringsvægledning
Montage hanleiding
Manuel de montage




3




4




5





VR277K: VR22, VR269, VR277
 VR297: VR20, VR22, VR269, VR273, VR277, VR294, VR295, VR296
 VR434: VR445, VR446, VR502, 2xVR455
 VR435: VR63, VR447, VR448, 2xVR455
 NR.10: VR20, VR22, VR273, VR294, VR295




vola
 Lunavej 2
 DK-8700 Horsens
 Tlf : + 45 7023 5500
 sales@vola.com
 www.vola.com

VOLA 500T1 **500T1S, SC9m SC9S**

Date
 jan. 23

Rev.
3

Sheet
SB 27.67



VR17L9K:	VR15P, VR16L9, VR17L
VR17LSK:	VR15P, VR16LS, VR17L
VR17LXK:	VR15P, VR16LX, VR17L
VR090L9:	VR15P, VR16L9, VR17L, 2xVR18, 2xVR31, VR1902
VR437:	VR98, 2xVR444, VR450, VR451




Exploded view diagram of a water tap assembly. The diagram shows the following components and their labels:

- 273**: Top handle/lever assembly.
- 20**: Small pin or screw.
- 273L**: Left side handle/lever assembly.
- 273M**: Right side handle/lever assembly.
- 22**: Long curved pin or screw.
- 294**: Main body of the tap handle.
- Q: 294BQ**: Specific model identifier for the handle body.
- 295**: Ring component below the handle body.
- 269**: Small hexagonal nut or washer.
- 296**: Ring component below the main body.
- 277**: Main body of the tap handle.
- G3/8" US 9/16"**: Thread specification for the main body.
- 434**: Ring component in the lower assembly.
- 446**: Ring component in the lower assembly.
- 502**: Ring component in the lower assembly.
- 445**: Ring component in the lower assembly.
- 455**: Small pin or screw in the lower assembly.
- AUS: 679 x 3**: Thread specification for the lower assembly.
- 1902**: Small component in the bottom left corner.

Technical drawing of a vertical rod. A dimension line indicates a diameter of $\varnothing 3/8"$.

VR277K:	VR22, VR269, VR277
VR297:	VR20, VR22, VR269, VR273, VR277, VR294, VR295, VR296
VR434:	2xVR444, VR445, 2xVR455, VR502
NR.10:	VR20, VR22, VR273, VR294, VR295





VR435: VR63, 2xVR444, VR447, VR448



vola
Lunavej 2
DK-8700 Horsens
Tlf : + 45 7023 5500
Fax: + 45 7023 5511
sales@vola.com
www.vola.com

VOLA T1, T1S T1V, T1SV

Date
Jun. 17

Rev.
6

Sheet
SB 39