




Monteringsvägledning
Montage hanleiding
Manuel de montage



vola®




prüfen.




VR968:
To be ordered separately.
Werden separat bestellt.
Bestilles separat.
Beställs separat.
Apart te bestellen.
À commander séparément.



DE:
Bitte separat beiliegende Anleitung für die Schallentkopplung
VR972 beachten




Ingår inte i leveransen, köps separat.
Ikke inkludert, kjøpes separat.
Eivät sisälly tilaukseen, ostettava erikseen.



G1/2"

Skvallerrör


**!DO NOT!
!REMOVE!**



VR648



* +10 - STANDARD SVERIGE



21/2119/2219	T: VB648
--------------	----------

Y

Y Min. 48 mm
Max. 110 mm

Y

STANDARD

EXTENSION

DO NOT REMOVE

1 2 3 4 5 6 7 8 9 10

Montage van de verlengstukken
Montage des rallonges

24 mm







Technical drawing of the G1/2" component. The drawing shows a top view and a side view. The top view is a square with dimensions 168 mm (6 5/8") and 168 mm (6 5/8"). The side view shows a height of 186 mm (7 3/8"). The drawing includes a central circular feature with a 'P' inside, a yellow rectangular feature, and a dimension of 84 mm (3 1/4") for the width of the central section. The side view shows a width of 70 mm (2 3/4"). The drawing is labeled G1/2" and G3/4".

VR2019: 010, 020, 030, 040
VR2021: 050
VR2020: 080W
VR2119: 010C, 020C, 040D
050K, 070/R/S/W, 080/K/D/DK
VR2219: 050A, 060A
VR648: 060, 080ST

VR2019:
VR2020: VR2119:
VR2021: VR2219:


VR648:

Std.	  
+10	  
+20	  
+30	  
+40	  
+50	  



2x13 mm Lightweight wall
Leichtwand
Let væg


Lätta konstruktion
Holle wandconstructie
Construction légère



1x15 mm
1x18 mm
1x20 mm


Lightweight wall
Leichtwand
Let væg

Lätta konstruktion
Holle wandconstructie
Construction légère



Masonry
Mauerwerk
Murværk

Murverk
Massieve wand
Mur Plein









2

Test Pressure
Prüfdruck
testtryk
Test tryck
Test druk
test de pression

Check the local legislation.
Bitte die örtlichen Vorschriften überprüfen.
Tjek de lokale regler.
Kontrollera lokala föreskrifter.
Nazitten lokale regelgeving.
Vérifiez la législation locale.


! Water - Wasser - Vand - Vatten - Water - L'eau
! MAX 1 Minute - Minut - Minuut !

1. MAX. 16 Bar 232 Psi
2. MAX. 4 Bar 58 Psi



8

Do not cut the membrane
Die Membran nicht schneiden
Skær ikke membranen
* Skär inte membranet
Snij het membraan niet door
Ne coupez pas la membrane
No cortar la membrana



VOLA 200M

Sheet
SB 2.3