




BK

Fitting instruction
Montageanleitung
Monteringsvejledning
Monteringsvægledning
Montage handleiding
Manuel de montage


$$\begin{array}{l} \text{BK} \\ \text{BKA} \\ \text{BKB} \end{array} \quad \begin{array}{l} \textcircled{1} - \textcircled{4} + \textcircled{5} - \textcircled{15} \\ \textcircled{A1} - \textcircled{A4} + \textcircled{5} - \textcircled{16} \\ \textcircled{B1} - \textcircled{B3} + \textcircled{5} - \textcircled{16} \end{array}$$


BK_V1_40998626




Ⓢ BK: 1, 2, 5, 7, 9



Ⓛ BK: 3, 4, 6, 8, 10, 11, 12, 13, 14, 15, 16











BKA








BKB







BK





BK



BKB



5 BK-BKA-BKB 5, 6, 7, 8, 10, 11, 12, 13, 15, 16
Col. 40, 61, 64, 70








7 BK-BKA-BKB 14, 15, 16

38°C
100°F

1

2



14
EN1717 Pipe interrupter
 Rohrunterbrecher
 Rørafbryder
 Röravbrytare
 Buisonderbreker
 Disconnecteur à encastrer

Not included.
 Nicht enthalten.
 Ikke inkluderet.
 Ingår inte.
 Niet meegeleverd.
 Non inclus.

Diagram illustrating the installation of the pipe interrupter (EN1717) and the backflow preventer (A24) on a water supply line. The pipe interrupter is installed on the supply line, and the backflow preventer is installed on the outlet line. The diagram shows the connection of the pipe interrupter to the water supply line and the backflow preventer to the outlet line. The backflow preventer is labeled A24. The diagram also shows the connection of the pipe interrupter to the water supply line and the backflow preventer to the outlet line. The diagram includes labels for the components and their connections, as well as a note indicating that the backflow preventer is not included in the package.

15 Extension: VR1599

Tiles: Fliesen:	8 - 25 mm	Standard
Fliser: Fliser: Tegels: Carreaux:	26 - 50 mm	VR1599

Standard:
M5 x 30

VR1599:
M5 x 50

16

Box for drain - Alternative installation


Ablauf Kasten - Alternative installation

Overløbskasse - Alternativ installation

Avloppslåda - Alternativ installation

Afvoerbak - Alternativ installation

Boîte de d'évacuation - Installation alternative




17

Data, 3 Bar (Max. 10 Bar):

		l/min.	Gal/min.
T1		10	2.6
090D/E	{ BK 5, 7, 10, 12:	20	5.3
	{ BK 6, 8, 11, 13:	25	6.6
	{ BK 15, 16:	25	6.6
A24	{ BK 1, 3:	15	3.9
	{ BK 2, 4:	19	5.0
	{ BK 14:	22	5.8

Max. 65°C, 150°F


2




Boreskabelon BKB_40998996




5 703182 430614




BK6-090D



BK8-090E



NR7: VR2A, VR23, VR677
VR090D/C: VR623, VR624C, 4xVR631, VR1902



vola

Lunavej 2
DK-8700 Horsens
Tlf : + 45 7023 5500
sales@vola.com
www.vola.com

VOLA BK6/8

Date
Oct. 96

Rev.
0

Sheet
SB 70