

ST 010 105 1782



- 200 mm projection
  - fixed spout
  - rectangular, air-enriched flow
  - height of mixer 321 mm
  - height up to aerator 190 mm
  - hole diameter 35 mm
  - 2x screw-in M 10 x 1 pressure hose, leak-tested
  - 1/2" connection
  - max. flow 5.7 l/min
  - lead-free
  - automatic hygiene flush
  - suitable for thermal disinfection
  - adjustable follow-up time
  - high-frequency sensors with self-calibration
  - magnetic valve
  - 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- Cannot be combined with basins in conducting materials (e.g. steel, river stone).  
Cannot be combined with basins that have a closing drain.**
- ATTENTION: Separate terms and conditions for electronic articles are applicable.**

|                                                                                    |                                |                    |
|------------------------------------------------------------------------------------|--------------------------------|--------------------|
|  | Platinum                       | ST 010 105 1782-08 |
|  | Chrome                         | ST 010 105 1782-00 |
|  | Brushed Platinum               | ST 010 105 1782-06 |
|  | Dark Chrome                    | ST 010 105 1782-19 |
|  | Brushed Durabronze (23kt Gold) | ST 010 105 1782-28 |
|  | Brushed Champagne (22kt Gold)  | ST 010 105 1782-46 |
|  | Champagne (22kt Gold)          | ST 010 105 1782-47 |
|  | Brushed Dark Platinum          | ST 010 105 1782-99 |

### Individual components of this set

You need the following components for this set



1x

42 766 970 90



1x

13 716 782-08

www.divapor.com

ST 010 105 1782



Fits: IMO, LULU, MADISON, MEM, TARA, CL.1, LISSÉ, VAIA, META, SERIES-VARIOUS, CYO

- automatic hygiene flush
  - suitable for thermal disinfection
  - adjustable follow-up time
  - high-frequency sensors with self-calibration
  - magnetic valve
  - 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- Cannot be combined with basins in conducting materials (e.g. steel, river stone).**  
**Cannot be combined with basins that have a closing drain.**  
**ATTENTION: Separate terms and conditions for electronic articles are applicable.**

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

**Required miscellaneous**



**eSET Touchfree Basin mixer without temperature setting for combining with free-standing fittings**

35 742 970 90

**Required miscellaneous**



**eSET Touchfree Basin mixer without temperature setting for combining with wall-mounted fittings**

35 743 970 90

- min. recess depth 90 mm
- max. recess depth 125 mm

**Recommended miscellaneous**


**Extension for Touchfree 500 mm**


12 765 970 90



ST 010 105 1782

mm [inches]





### Spare parts list

| No. | Item Number        | Name                   | Quantity used | Delivery time |
|-----|--------------------|------------------------|---------------|---------------|
| 1   | 90 10 01 177 00 90 | electronic accessories | 1             | 2             |
| 2   | 90 17 20 199 00 90 | holder                 | 1             | 2             |
| 3   | 04 30 50 079 00 90 | valve                  | 1             | 2             |
| 4   | 04 10 01 246 00 90 | electronic accessories | 1             | 2             |
| 5   | 04 30 31 024 01 90 | fixing set             | 1             | 2             |

ST 010 105 1782




- 200 mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 321 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 5.7 l/min
- lead-free


|                                                                                    |                                |               |
|------------------------------------------------------------------------------------|--------------------------------|---------------|
|  | Platinum                       | 13 716 782-08 |
|  | Chrome                         | 13 716 782-00 |
|  | Brushed Platinum               | 13 716 782-06 |
|  | Dark Chrome                    | 13 716 782-19 |
|  | Brushed Durabronze (23kt Gold) | 13 716 782-28 |
|  | Brushed Champagne (22kt Gold)  | 13 716 782-46 |
|  | Champagne (22kt Gold)          | 13 716 782-47 |
|  | Brushed Dark Platinum          | 13 716 782-99 |

www.divapor.com

ST 010 105 1782




Flow rate chart



ST 010 105 1782

Parts for other  
finishes can be found  
here: Chrome



## Spare parts list

| No. | Item Number        | Name       | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 1   | 90 28 22 155 01-08 | spout      | 1             | 20            |
| 2   | 09 27 78 034-08    | rosette    | 1             | 20            |
| 3   | 09 11 10 054 10 90 | connection | 1             | 2             |
| 4   | 09 14 10 130 90    | seal       | 1             | 2             |
| 5   | 09 11 10 055 10 90 | connection | 1             | 2             |
| 6   | 04 30 04 019 00 90 | hose       | 2             | 2             |
| 7   | 04 23 10 009 01 90 | fixing set | 1             | 2             |
| 8   | 09 14 10 060 90    | seal       | 1             | 2             |
| 9   | 09 31 20 065 90    | plug       | 1             | 2             |