

ST 060 112 4809

- cover plate Ø 124 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve



	Brushed Dark Platinum	ST 060 112 4809-99
	Chrome	ST 060 112 4809-00
	Brushed Platinum	ST 060 112 4809-06
	Platinum	ST 060 112 4809-08
	Dark Chrome	ST 060 112 4809-19
	Brushed Durabronze (23kt Gold)	ST 060 112 4809-28
	Brushed Champagne (22kt Gold)	ST 060 112 4809-46
	Champagne (22kt Gold)	ST 060 112 4809-47

Individual components of this set

You need the following components for this set



1x 36 503 979-99



2x 36 607 809-99

www.divapor.com

ST 060 112 4809



- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

**Codes & standards**

	Brushed Dark Platinum	36 503 979-99
	Chrome	36 503 979-00
	Brushed Platinum	36 503 979-06
	Platinum	36 503 979-08
	Durabronze (23kt Gold)	36 503 979-09
	Matte White	36 503 979-10
	Dark Chrome	36 503 979-19
	Brushed Durabronze (23kt Gold)	36 503 979-28
	Matte Black	36 503 979-33
	Brushed Champagne (22kt Gold)	36 503 979-46
	Champagne (22kt Gold)	36 503 979-47
	Brushed Chrome	36 503 979-93

**Required miscellaneous**

	<b>xTOOL Concealed thermostat module without volume control</b> • min. recess depth 85 mm • max. recess depth 110 mm	35 503 970 90
--	--	---------------

**Recommended miscellaneous**


	<b>xGRID Attachment set for integrating in the dry wall construction</b>	12 340 970 90
--	--	---------------

**Required miscellaneous**

	<b>xGRID Installation track 555 mm</b>	12 360 970 90
--	--	---------------


ST 060 112 4809

mm [inches]



www.divapor.com

ST 060 112 4809



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 15 02 065 00 90	cartridge	1	2
2	90 11 01 196 00 90	base	1	2
3	09 11 02 537-99	cover	1	30
4	09 31 11 048 90	pin	1	2
5	09 14 10 049 90	seal	1	2
6	09 21 02 112-99	sleeve	1	30
7	90 17 33 004 00-99	handle	1	30
8	90 21 33 010 00-13	handle	1	2
9	90 16 02 027 00 90	spring	1	2
10	09 30 30 136 90	screw	1	2
11	09 31 20 049-13	plug	1	30
12	12 178 970 90	Extension 46 mm	1	2

ST 060 112 4809



- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

**Codes & standards**

**Fits VAIA**

Fits VAIA

	Brushed Dark Platinum	36 607 809-99
	Chrome	36 607 809-00
	Brushed Platinum	36 607 809-06
	Platinum	36 607 809-08
	Dark Chrome	36 607 809-19
	Brushed Durabronze (23kt Gold)	36 607 809-28
	Brushed Champagne (22kt Gold)	36 607 809-46
	Champagne (22kt Gold)	36 607 809-47

**Required miscellaneous**



**Wall valve 1/2"**


35 607 970 90

- min. recess depth 75 mm
- max. recess depth 145 mm


www.divapor.com

ST 060 112 4809

mm [inches]



www.divapor.com



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 90 03 143 00 90	top	1	2
2	09 31 11 008 90	pin	1	2
3	09 21 02 163 90	disc	1	2
4	90 20 80 014 00-99	handle	1	30