

**xTOOL Thermostat module with 2 valves**

TARA

ST 060 112 8892

- cover plate Ø 124 mm
- rosette Ø 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

**Fits TARA**

**Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 crosspieces.**

|                                                                                    |                                |                    |
|------------------------------------------------------------------------------------|--------------------------------|--------------------|
|  | Matte White                    | ST 060 112 8892-10 |
|  | Chrome                         | ST 060 112 8892-00 |
|  | Brushed Platinum               | ST 060 112 8892-06 |
|  | Platinum                       | ST 060 112 8892-08 |
|  | Brushed Durabronze (23kt Gold) | ST 060 112 8892-28 |
|  | Matte Black                    | ST 060 112 8892-33 |
|  | Brushed Champagne (22kt Gold)  | ST 060 112 8892-46 |
|  | Champagne (22kt Gold)          | ST 060 112 8892-47 |
|  | Brushed Chrome                 | ST 060 112 8892-93 |
|  | Brushed Dark Platinum          | ST 060 112 8892-99 |

**Individual components of this set**

You need the following components for this set

2x 36 607 892-10



1x 36 503 979-10



www.divapor.com

ST 060 112 8892

- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve

**Codes & standards**

**Fits TARA**

Fits TARA

|                                                                                    |                                |               |
|------------------------------------------------------------------------------------|--------------------------------|---------------|
|  | Matte White                    | 36 607 892-10 |
|  | Chrome                         | 36 607 892-00 |
|  | Brushed Platinum               | 36 607 892-06 |
|  | Platinum                       | 36 607 892-08 |
|  | Dark Chrome                    | 36 607 892-19 |
|  | Brushed Durabronze (23kt Gold) | 36 607 892-28 |
|  | Matte Black                    | 36 607 892-33 |
|  | Brushed Champagne (22kt Gold)  | 36 607 892-46 |
|  | Champagne (22kt Gold)          | 36 607 892-47 |
|  | Brushed Chrome                 | 36 607 892-93 |
|  | Brushed Dark Platinum          | 36 607 892-99 |

**Required miscellaneous**




**Wall valve 1/2"**


35 607 970 90

- min. recess depth 85 mm
- max. recess depth 145 mm

ST 060 112 8892

mm [inches]





## Spare parts list

| No. | Item Number        | Name       | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 1   | 90 90 03 143 00 90 | top        | 1             | 2             |
| 2   | 09 23 30 023 90    | nut        | 1             | 2             |
| 3   | 90 21 02 108 00 90 | disc       | 1             | 2             |
| 4   | 09 27 89 108-10    | rosette    | 1             | 40            |
| 5   | 09 31 11 007 90    | pin        | 1             | 2             |
| 6   | 09 14 15 020 90    | ring       | 1             | 2             |
| 7   | 09 24 05 002 90    | nipple     | 1             | 2             |
| 8   | 09 29 06 022 90    | spindle    | 1             | 2             |
| 9   | 09 14 10 060 90    | seal       | 1             | 2             |
| 10  | 90 12 12 002 00 90 | fixing cap | 1             | 2             |
| 11  | 09 21 02 144-10    | sleeve     | 1             | 40            |
| 12  | 04 20 89 010 00-10 | handle     | 1             | 60            |
| 13  | 09 30 30 075 90    | screw      | 1             | 2             |
| 14  | 09 30 11 029 90    | disc       | 1             | 2             |
| 15  | 90 12 12 007 00-10 | base       | 1             | 40            |
| 16  | 09 20 89 010-10    | handle     | 1             | 40            |

ST 060 112 8892



- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge


**Codes & standards**

|                                                                                      |                               |               |
|--------------------------------------------------------------------------------------|-------------------------------|---------------|
|    | Matte White                   | 36 503 979-10 |
|    | Chrome                        | 36 503 979-00 |
|    | Brushed Platinum              | 36 503 979-06 |
|    | Platinum                      | 36 503 979-08 |
|    | Durabrand (23kt Gold)         | 36 503 979-09 |
|    | Dark Chrome                   | 36 503 979-19 |
|    | Brushed Durabrand (23kt Gold) | 36 503 979-28 |
|    | Matte Black                   | 36 503 979-33 |
|    | Brushed Champagne (22kt Gold) | 36 503 979-46 |
|    | Champagne (22kt Gold)         | 36 503 979-47 |
|   | Brushed Chrome                | 36 503 979-93 |
|  | Brushed Dark Platinum         | 36 503 979-99 |

www.divapor.com

ST 060 112 8892


mm [inches]





ST 060 112 8892

Parts for other  
finishes can be found  
here: Chrome



## Spare parts list

| No. | Item Number        | Name            | Quantity used | Delivery time |
|-----|--------------------|-----------------|---------------|---------------|
| 1   | 90 15 02 065 00 90 | cartridge       | 1             | 2             |
| 2   | 90 11 01 196 00 90 | base            | 1             | 2             |
| 3   | 09 11 02 537-10    | cover           | 1             | 40            |
| 4   | 09 31 11 048 90    | pin             | 1             | 2             |
| 5   | 09 14 10 049 90    | seal            | 1             | 2             |
| 6   | 09 21 02 112-10    | sleeve          | 1             | 40            |
| 7   | 90 17 33 004 00-10 | handle          | 1             | 40            |
| 8   | 90 21 33 010 00-13 | handle          | 1             | 2             |
| 9   | 90 16 02 027 00 90 | spring          | 1             | 2             |
| 10  | 09 30 30 136 90    | screw           | 1             | 2             |
| 11  | 09 31 20 049-13    | plug            | 1             | 30            |
| 12  | 12 178 970 90      | Extension 46 mm | 1             | 2             |