


VOLA KV1

Fitting instruction
Montageanleitung
Monteringsvejledning
Monteringsvægledning
Montage hanleiding
Manuel de montage



04/00019
04/00021



www.vola.com

mnt_KV1_V3_40998778
01-01-2023






5 705230 005263


Data, 3 Bar /43.5 Psi:

	l/min.	Gal/min.
KV1:	9,0	2.4
KV1US:	4,5	1.2


Max. 65°C, 150°F



4



5




KV1L/KV1M



Operation
Bedienung
Betjening


Bruk
Bediening
Fonctionnement



Fitting instruction
Montageanleitung
Monteringsvejledning
Monteringsvågledning
Montage hanleiding
Manuel de montage



**GODKENDT
TIL DRIKKEVAND**



500 - 2500_V0_40998137
01-01-2023







5 705230 492964

	l/min.	Gal/min.
500:	14,5	3.8
590:	9,0	2.4
500-T1:	11,0	2.9
2500:	18,7	4.9
SC1:	18,7	4.9
SC5, 7:	18,0	4.8
SC9:	11,0	2.9

 Max. 65°C, 150°F

Technical drawing of the 3000 Series 3-Port Cable Management System. The diagram shows a top-down view of the unit with three ports. Dimensions include a top flange with Ø60 mm (Ø2 3/8") and Ø40 mm (Ø1 5/8") sections, a 40 mm (1 5/8") height, and a 55 mm (2 1/8") threaded section. The cable ports have a Ø40 mm (Ø1 5/8") diameter. Cable lengths are specified as Flex: 480 mm (19") and Cu: 330 mm (13"). The cable ends are G3/8" (US: 9/16"). A detail shows the cable braid with Ø42 mm (Ø1 5/8") dimensions.




5



6

090





6A


090

mm:	H	D	h
090	210	200	145
090A	110	85	40
090B	185	100	114
090C	185	100	114
090D	220	200	130
090E	170	200	65
090G	185	140	105
090H	265	220	155
090I	325	220	215
090V	355	145	270

Inches:	H	D	h
090	8 1/2"	8"	5 3/4"
090A	4 1/4"	3 1/2"	1 1/2"
090B	7"	4"	4 1/2"
090C	7"	4"	4 1/2"
090D	8 3/4"	8"	5"
090E	6 3/4"	8"	2 1/2"
090G	7"	5 1/2"	4"
090H	10 1/2"	8 5/8"	6"
090I	12 3/4"	8 5/8"	8 1/2"
090V	14"	5 3/4"	10 1/2"




6B



7


T1, T1S






7A

T1S


T1




Fitting instruction
Montageanleitung
Monteringsvejledning
Monteringsvægledning
Montage hanleiding
Manuel de montage




3







4



5



Colour: 02, 04, 05, 06, 08, 09, 12, 14, 15, 16, 17,
18, 19, 20, 21, 25, 27, 60, 62, 63, 65, 66



NR.10/L/M:	VR20, VR22, VR273/L/M, VR294, VR295
VR17L4K:	VR15P, VR16L4, VR17L (US Standard)
VR17L5K:	VR15P, VR16L5, VR17L
VR17L9K:	VR15P, VR16L9, VR17L
VR17LSK:	VR15P, VR16LS, VR17L
VR30:	VR15P, VR16L9, VR17L, VR29, 4xVR31, VR35, VR1902 (F40) (and KV1 from 1972 - 1996)
VR132:	VR15P, VR16L9, VR17L, 2xVR31, 2xVR558, VR1902 (2013 - 06. 2016)
VR133:	VR15P, VR16L9, VR17L, VR24, 4xVR31, VR113, VR1902 (1997 - 2012)
VR230:	VR15P, VR16L9, VR17L, 2xVR118, VR229, VR235, 4xVR558, VR1902 (06-2016 -)
VR117K:	VR116, VR117, VR118, 2xVR558, VR1902
VR277K:	VR22, VR269, VR277
VR297/L/M:	VR20, VR22, VR269, VR273/L/M, VR277, VR294, VR295, VR296
VR433:	VR261, VR263, VR440, VR442, 2xVR444



vola®

Lunavej 2
DK-8700 Horsens
Tlf : + 45 7023 5500
sales@vola.com
www.vola.com

KV1 Family:

KV1: /250, /300
KV1L: /250, /300
KV1M: /250, /300

Date

Jan. 23


Rev.

9


Sheet

SB25.2


500:



500: Ø10
500US: Ø3/8"



VR277K:	VR22, VR269, VR277
VR297:	VR20, VR22, VR269, VR273, VR277, VR294, VR295, VR296
VR434:	2xVR444, VR445, 2xVR455, VR502
NR.10:	VR20, VR22, VR273, VR294, VR295



vola
Lunavej 2
DK-8700 Horsens
Tlf : + 45 7023 5500
sales@vola.com
www.vola.com


VOLA 500/M/L

Date
Jan. 23


Rev.
4

Sheet
SB 4.1


500:



500: Ø10
500US: Ø3/8"



VR277K:	VR22, VR269, VR277
VR297:	VR20, VR22, VR269, VR273, VR277, VR294, VR295, VR296
VR434:	2xVR444, VR445, 2xVR455, VR502
NR.10:	VR20, VR22, VR273, VR294, VR295



vola
Lunavej 2
DK-8700 Horsens
Tlf : + 45 7023 5500
sales@vola.com
www.vola.com





VOLA 500/M/L

Date
Jan. 23


Rev.
4

Sheet
SB 4.1

Colour: 02, 04, 05, 06, 08, 09, 12, 14, 15, 16, 17,
18, 19, 20, 21, 25, 27, 60, 62, 63, 65, 66



NR.10/L/M:	VR20, VR22, VR273/L/M, VR294, VR295
VR17L4K:	VR15P, VR16L4, VR17L (US Standard)
VR17L5K:	VR15P, VR16L5, VR17L
VR17L9K:	VR15P, VR16L9, VR17L
VR17LSK:	VR15P, VR16LS, VR17L
VR30:	VR15P, VR16L9, VR17L, VR29, 4xVR31, VR35, VR1902 (F40) (and KV1 from 1972 - 1996)
VR132:	VR15P, VR16L9, VR17L, 2xVR31, 2xVR558, VR1902 (2013 - 06. 2016)
VR133:	VR15P, VR16L9, VR17L, VR24, 4xVR31, VR113, VR1902 (1997 - 2012)
VR230:	VR15P, VR16L9, VR17L, 2xVR118, VR229, VR235, 4xVR558, VR1902 (06-2016 -)
VR117K:	VR116, VR117, VR118, 2xVR558, VR1902
VR277K:	VR22, VR269, VR277
VR297/L/M:	VR20, VR22, VR269, VR273/L/M, VR277, VR294, VR295, VR296
VR433:	VR261, VR263, VR440, VR442, 2xVR444



vola
Lunavej 2
DK-8700 Horsens
Tlf : + 45 7023 5500
sales@vola.com
www.vola.com


KV1 Family:

KV1: /250, /300
KV1L: /250, /300
KV1M: /250, /300

Date
Jan. 23

Rev.
9

Sheet
SB25.2



VR435: VR63, 2xVR444, VR447, VR448



vola
 Lunavej 2
 DK-8700 Horsens
 Tlf : + 45 7023 5500
 Fax: + 45 7023 5511
 sales@vola.com
 www.vola.com

VOLA T1, T1S T1V, T1SV

Date
 Jun. 17

Rev.
 6

Sheet
 SB 39