

BRISTAN

1901 Luxury Bath Shower Mixer

Fitting Instructions & Contents List

PRODUCT CODE: N LBSM C CD / N LBSM G CD

TELEPHONE HELPLINE: +44 (0)844 701 6273

Bristan Group Limited
Birch Coppice Business Park
Dordon
Tamworth
Staffordshire
B78 1SG
UK

A Masco Company

Website: www.bristan.com
Telephone: +44 (0) 844 701 6274
Facsimile: +44 (0) 844 701 6275
Email: enquire@bristan.com

(FI N LBSM)

(REV D4)

Please keep these instructions for future reference

GUARANTEE

At Bristan, we want to make things as easy as possible for our customers.

That's why we design products that are easy to fit and use, and that are quality tested to make sure they won't let you down. It's also why we offer solid guarantees on all products, effective from the date of purchase, to give you peace of mind.

All Bristan taps and mixers are covered by a 5 year guarantee. This also includes 1 year labour cover* which means that, in the unlikely event that you should encounter a problem in the first year after purchase, we'll send one of our expert engineers to fix it.

*Labour is provided by an approved Bristan Care engineer or appointed representative. The guarantee only applies to products with a manufacturing fault. There will be a call out charge for any incidents where no fault has been found with the product, or if the issue is due to poor installation or maintenance.

Register Now and Extend Your Cover

Register your tap/mixer with us now and we'll extend your labour cover to 2 years – FREE!

You can register quickly and easily online at www.bristan.com/register. Alternatively, please fill in the details on the enclosed registration card and post it back to us.

Guarantee Terms and Conditions

This guarantee is in addition to your statutory and other legal rights and is subject to the following conditions:

The product was purchased within the United Kingdom or Republic of Ireland. The product is used in domestic applications only. For commercial or non-domestic applications such as leisure centres, sports clubs, hotels, premises operating as a business, the guarantee period is reduced to 1 year.

The guarantee applies solely to the original purchaser with proof of purchase. The installation must allow ready access to all products for the purpose of inspection, maintenance or replacement.

Repair under this guarantee does not extend the original expiry date. The guarantee on any replacement parts or product ends at the original expiry date.

Any part found to be defective during the guarantee period will be replaced without charge, providing that the product has been installed in accordance with the instructions given in this guide and used as the manufacturer intended.

The Guarantee Does Not Cover:

Damage or defects caused by

- general wear and tear (including special non-chrome finishes; components such as filters, seals, 'O' rings and washers)
- incorrect installation
- repair using non-Bristan parts
- accidental or wilful misuse
- corrosion and the use of inappropriate cleaning products.
- system debris including the build up of limescale (which can be controlled through regular servicing and maintenance)

CONTENTS

- | | | |
|--------------------|-------------------|--------------------|
| 1. Handle Assembly | 5. Cradle | 9. Leg Assembly |
| 2. Shroud | 6. Hose | 10. Washer |
| 3. Valve | 7. Handset | 11. Backnut Washer |
| 4. Body Assembly | 8. Elbow Assembly | 12. Backnut |

INSTALLATION

1. Identify all components and check for completeness, particularly before commencing installation.
2. Fit the legs (9) to the body (4) using the sealing washers.
3. Fit the mixer body (4) to the bath using the backnuts (12) and backnut washers (11), then connect the hot and cold water supplies.
4. Fit the cradle (5), if not already fitted, using the large sealing washer.
5. Fit the hose (6) to the cradle (5) and the handset (7) using the small sealing Washers.
6. Use the handles (1), fully open both valves, letting them run for a few minutes to flush the system.
7. Operate the mixer in both bath and shower mode. To switch from bath to shower Mode, move the diverter handle from one extreme to the other.
8. Check all joints and connections for leaks.

MAINTENANCE

If the fitting begins to drip

1. Turn off the water supply
2. Remove handles (1) from shroud (2) by removing the indices and then unscrewing the screw. Pull the handle (1) off, then unscrew shroud (2) from valve (3) and then remove it.
3. Once removed, carefully clean seating and rubber washer.
4. Replace valve and then turn on the water supply.
5. if problem persists contact our helpline.

AFTERCARE INSTRUCTIONS

Your fitting has a high quality finish and should be treated with care to preserve the visible surfaces.

All surface finishes will wear if not cleaned correctly, the only safe way to clean your mixer is to wipe with a soft damp cloth. Stains can be removed using washing up liquid. All bath cleaning powders and liquids will damage the surface of your fitting, even the non-scratch cleaners.

NOTE: Never use abrasive detergents or disinfectants or those containing alcohol, hydrochloric acid or phosphoric acid.

Bristan recommend E-Cloth for cleaning all of our bathroom & kitchen products. Using just water, E-cloth gives a smear free, deep clean by breaking up and holding dirt, which normal cloths leave behind. Order through your Bristan stockist. (ORDER CODE: ECLOTH)



CLEANING / SERVICING

The hardness of the water in your area will determine how often you should clean your Showerhead. Build up of scale in particularly hard water areas, combined with constant use means you may need to clean your showerhead once a week. To ensure continued performance of the showerhead, it will need to be regularly descaled.

Please refer to the Map of Hard Water Areas, on the following page.


Map of Hard Water Regions in the UK



Soft to moderately soft
0 - 100mg/l as calcium carbonate equivalent



Slightly hard to moderately hard
100 - 200mg/l as calcium carbonate equivalent



Hard to very hard
Above 200mg/l as calcium carbonate equivalent

